

## AUTHOR INDEX

Albersheim, P. 235  
Alföldi, J. 317  
An, J. 235  
Ats, S.-C. 325  
Auger, G. 107

Beynon, L.M. 263  
Blanot, D. 107  
Bock, K. 1

Carver, J.P. 159  
Chandrasekaran, R. 183  
Cleophax, J. 149  
Coimbra, M.A. 245

Darvill, A.G. 235  
Deredas, D. 275  
Dubreuil, D. 149  
Duisenberg, A.J.M. 19  
Duus, J.Ø. 1

Ebringerová, A. 317

Falshaw, R. 171  
Frankowski, A. 275  
Furneaux, R.H. 171

Gabriel, J. 297  
Gluziński, P. 97  
Goddard, J. 159  
Gotor, V. 55  
Grey, A.A. 159  
Grushcow, J. 159  
Guo, G.-f. 303

Hadjoudis, E. 19  
Hasegawa, A. 283  
Hember, M.W.N. 209  
Hodosi, G. 291  
Hoover, R. 33  
Hricová, M. 159

Ikemoto, N. 269  
Ishida, H. 283, 283  
Isogai, Y. 283

Kemme, A. 97  
Kiso, M. 283  
Knirel, Y.A. 309  
Koike, K. 303  
Krajewski, J.W. 97  
Kubátová, E. 297  
Kühn, I. 309

Lee, E.J. 183  
Lehmann, J. 325  
Li, H.-y. 303  
Li, Y.-s. 303  
Liger, D. 107  
Loupy, A. 149

Machová, E. 317  
Magnusson, G. 117, 137  
Mamat, H.D.G.U. 309  
Marcussen, J. 69  
Masoud, H. 223  
Mavridis, I.M. 19  
Messmer, A. 85  
Mishnev, A. 97  
Møller, B.L. 69  
Morris, E.R. 209  
Motawia, M.S. 69

Neszmélyi, A. 85  
Nilsson, U. 117, 137

Odonmažig, P. 317  
Ogawa, S. 1  
Ohmoto, T. 303  
Ohta, Y. 283  
Olsen, C.E. 69  
O'Neill, M.A. 235

Pakulski, Z. 97  
Palková, Z. 297

Perczel, A. 85  
Petry, S. 325  
Pintér, I. 85  
Pospíšek, M. 297  
Pulido, R. 55

Radha, A. 183  
Ray, A.K. 117, 137  
Richards, J.C. 223, 263  
Richardson, R.K. 209  
Rontoyianni, A. 19

Schulte, G.K. 269  
Selvendran, R.R. 245

Shah, R.N. 159  
Shashkov, A.S. 309

Tsukada, Y. 283

Van Heijenoort, J. 107  
Vasanthan, T. 33  
Volc, J. 297

Waldron, K.W. 245

Zamojski, A. 97  
Zsoldos-Mády, V. 85

## SUBJECT INDEX

- 2-Acetamido-2-deoxyaldonolactones from sugar formazans, 85
- Acetobacter methanolicus* MB 58 (IMET B346), structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide, 309
- N-Acetylmuramic acid 1-phosphate, 107
- Aldonolactones, preparation from sugar formazans of 2-acetamido-2-deoxy-, 85
- Arabinogalactan isolated from Mongolian larchwood (*Larix dahurica* L.), structural and molecular properties, 317
- Benzylation of polyols by phase-transfer catalysis or supported reagent methods, solvent-free, 149
- Branched tetrasaccharide thioglycoside, synthesis and NMR spectra of a protected, a useful intermediate for the synthesis of branched oligosaccharides, 69
- 4-*tert*-Butylbenzoic acid, the crystal structure of the inclusion complex of cyclomaltoheptaose ( $\beta$ -cyclodextrin) with, 19
- Capsular polysaccharide of *Rhodococcus equi* serotype 7, structural elucidation of the specific, 223
- Capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 58 (IMET B346), 309
- Carrageenan from the tetrasporic stage of *Gigartina decipiens* (Gigartinaeae, Rhodophyta), 171
- Cell wall polymers from olive pulp (*Olea europaea*), isolation and characterisation, 245
- Conformational studies, synthesis of di- and tri-saccharides with intramolecular NH-glycosidic linkages: molecules with flexible and rigid glycosidic bonds for, 159
- Conformational study of 12 pseudo-disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and, 1
- Cortalcerone, a convenient laboratory procedure for the preparation of, 297
- Crystal structure, conformation, and synthesis of methyl 6-deoxy-2,3-O-isopropylidene- $\alpha$ -D-manno-heptofuranoside, 97
- Cyclodextrin, the crystal structure of the inclusion complex of 4-*tert*-butylbenzoic acid with  $\beta$ -, 19
- L-Dianose, a new monosaccharide from *Dianthus chinensis* L., 303
- Dianthus chinensis* L., L-dianose (a new monosaccharide) from, 303
- Differing rates of galactosylation of homologous spacer-modified disaccharides are an indication for two separate GlcNAc binding-sites in galactosyltransferase, 325
- Disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and conformational study of 12 pseudo-, 1
- Effect of heat-moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber starches, 33
- Enzymatic catalyzed process for the selective acylation of secondary hydroxyl groups of carbohydrates using oxime esters, 55
- Enzymatic cortalcerone preparation from D-glucose, 297
- D-Erythrofuransyl C-nucleosides of imidazole from 4(5)-(D-arabino-tetritol-1-yl)imidazole, synthesis of, 275
- Forssman pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, synthesis, 137
- Fructofuranoside, X-ray structure of methyl 1,6-di-O-(4-bromobenzoyl)-3,4-di-O-(4-methoxycinnamoyl)- $\beta$ -D-, 269
- Galactosylation of homologous spacer-modified disaccharides are an indication for two sepa-

- rate GlcNAc binding-sites in galactosyltransferase, differing rates of, 325
- Ganglioside GD2, facile total synthesis, 283
- Gel formation in aqueous dimethyl sulfoxide, native ordered structure of welan polysaccharide: conformational transitions and, 209
- Globotetraose tetrasaccharide and terminal tri- and di-saccharide fragments, synthesis, 117
- $\beta$ -D-Glucosyluronic acid and 4-O-methyl  $\beta$ -D-glucosyluronic acid-containing oligosaccharides from the cell-wall pectic polysaccharide, rhamnogalacturonan I, isolation and structural characterization of, 235
- Glycerol component in poly(glycosylglycerol phosphates), determination of the absolute configuration of the, by GLC-MS, 263
- Heat-moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber starches, effect of, 33
- Heptofuranoside, synthesis, crystal structure, and conformation of methyl 6-deoxy-2,3-O-isopropylidene- $\alpha$ -D-manno-, 97
- Hydroxy groups, sugar, oxidation of with triphenylphosphine-N-chlorosuccinimide-dimethyl sulfoxide, 291
- Imidazole, synthesis of D-erythrofuransyl C-nucleosides from 4(5)-(D-arabino-tetritol-1-yl)imidazole, 275
- Immobilized enzyme preparation of cortalcosterone, 297
- Inclusion complex of cyclomaltoheptaose ( $\beta$ -cyclodextrin) with 4-tert-butylbenzoic acid, crystal structure, 19
- Intramolecular NH-glycosidic linkages: molecules with flexible and rigid glycosidic bonds for conformational studies, synthesis of di- and tri-saccharides with, 159
- Larchwood (*Larix dahurica* L.), structural and molecular properties of the arabinogalactan isolated from Mongolian, 317
- Lipopolysaccharide from *Acetobacter methanolicus* MB 58 (IMET B346), structure of the capsular polysaccharide and the O-side-chain, 309
- Methyl 6-deoxy-2,3-O-isopropylidene- $\alpha$ -D-manno-heptofuranoside, synthesis, crystal structure, and conformation, 97
- Methyl 1,6-di-O-(4-bromobenzoyl)-3,4-di-O-(4-methoxycinnamoyl)- $\beta$ -D-fructofuranoside, X-ray structure of, 269
- Native ordered structure of welan polysaccharide: conformational transitions and gel formation in aqueous dimethyl sulfoxide, 209
- C-Nucleosides of imidazole from 4(5)-(D-arabino-tetritol-1-yl)imidazole, synthesis of D-erythrofuransyl, 275
- Olive pulp (*Olea europaea*), isolation and characterisation of cell wall polymers from, 245
- Oxidation of sugar hydroxy groups with triphenylphosphine-N-chlorosuccinimide-dimethyl sulfoxide, 291
- Oxime esters in the selective enzymatic catalyzed acylation of secondary hydroxyl groups of carbohydrates using oxime esters in an enzymatic catalyzed process, 55
- Pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, synthesis of the Forssman, 137
- Phase-transfer catalysis or supported reagent methods, solvent-free benzylation of polyols by, 149
- Poly(glycosylglycerol phosphates), determination of the absolute configuration of the glycerol component in, by GLC-MS, 263
- Polymers from olive pulp (*Olea europaea*), isolation and characterisation of cell wall, 245
- Polyols, solvent-free benzylation by phase-transfer catalysis or supported reagent methods, 149
- Polysaccharide of *Rhodococcus equi* serotype 7, structural elucidation of the specific capsular, 223
- Pseudo-disaccharides (D-glucopyranosyl-5a-carba-D- and -L-glucopyranoses), an NMR spectroscopic and conformational study, 1
- Rhamnogalacturonan I, isolation and structural characterization of  $\beta$ -D-glucosyluronic acid and 4-O-methyl  $\beta$ -D-glucosyluronic acid-containing oligosaccharides from the cell-wall pectic polysaccharide, 235
- Rhodococcus equi* serotype 7, structural elucidation of the specific capsular polysaccharide of, 223
- Selective acylation of secondary hydroxyl groups of carbohydrates using oxime esters in an enzymatic catalyzed process, 55
- Spacer-modified disaccharides are an indication for two separate GlcNAc binding-sites in galactosyltransferase, differing rates of galactosylation of homologous, 325

- Starches, effect of heat-moisture treatment on the structure and physicochemical properties of cereal, legume, and tuber, 33
- Structural and molecular properties of the arabinogalactan isolated from Mongolian larchwood (*Larix dahurica* L.), 317
- Structural roles of calcium ions and side chains in welan: an X-ray study, 183
- Sugar formazans, 2-acetamido-2-deoxyaldono-lactones from, 85
- Synthesis of di- and tri-saccharides with intramolecular NH-glycosidic linkages: molecules with flexible and rigid glycosidic bonds for conformational studies, 159
- Synthesis of the Forssman pentasaccharide and terminal tetra-, tri-, and di-saccharide fragments, 137
- Synthesis of the globotetraose tetrasaccharide and terminal tri- and di-saccharide fragments, 117
- Tetrasaccharide and terminal tri- and di-saccharide fragments, synthesis of the globotetraose, 117
- Tetrasaccharide thioglycoside, synthesis and NMR spectra of a protected branched, a useful intermediate for the synthesis of branched oligosaccharides, 69
- Thioglycoside, synthesis and NMR spectra of a protected branched tetrasaccharide, a useful intermediate for the synthesis of branched oligosaccharides, 69
- UDP-*N*-Acetylmuramic acid, synthesis of  $\alpha$  and  $\beta$  anomers, 107
- Welan polysaccharide: conformational transitions and gel formation in aqueous dimethyl sulfoxide, native ordered structure of, 209
- Welan: an X-ray study, structural roles of calcium ions and side chains in, 183
- X-ray structure of methyl 1,6-di-*O*-(4-bromobenzoyl)-3,4-di-*O*-(4-methoxycinnamoyl)- $\beta$ -D-fructofuranoside, 269
- X-ray study, structural roles of calcium ions and side chains in welan: an, 183

